

Useful formulae: [Note that you may not need all of these formulae. Use as needed]

Utilization:

- $a = \frac{T_{prop}}{T_{trans}} = \frac{\text{propagationDelay}}{\text{transmissionDelay}}$
- $\text{propagationDelay} = \frac{\text{Distance}}{S}, S = 2 \times 10^8 \text{ m/s}$
- For stop-and-wait: $u = \frac{1-p}{(1+2a)}$, where p is the probability that a frame is in error.

Utilization for sliding-window mechanisms with window of w:

- Go back N: $u = \frac{1-p}{1+2ap}$, if w fills the pipe, or $u = \frac{w(1-p)}{(1+2a)(1-p+wp)}$ otherwise
- Selective repeat: $u = (1-p)$, if w fills the pipe, or $u = \frac{w(1-p)}{(1+2a)}$ otherwise
- TCP:
 - slow start CongWin+=1 per ACK,
 - congestion avoidance CongWin+=1 per RTT,
 - EstimatedRTT(k) = $(1-\alpha) \cdot \text{EstimatedRTT}(k-1) + \alpha \cdot \text{SampleRTT}(k)$, $0 < \alpha < 1$
 - DevRTT = $(1-\beta) \cdot \text{DevRTT} + \beta \cdot |\text{SampleRTT} - \text{EstimatedRTT}|$, $0 < \beta < 1$
 - TimeoutInterval = EstimatedRTT + 4 * DevRTT

ATM ABR rate-based congestion control:

- Increase: Rate = min(PCR, Rate + PCR x RIF)
- Decrease: Rate = max(MCR, min[ER, Rate - Rate x RDF])

Probability distributions and stochastic processes:

- Geometric distribution: x is the number of Bernoulli experiments until success, $\Pr[X=k] = q^{k-1}p$, $E(X) = 1/p$
- Binomial distribution: x is the number of successes in n Bernoulli experiments/trials
 $P(X = k) = \binom{n}{k} q^{n-k} p^k, \binom{n}{k} = \frac{n!}{(n-k)!k!}, E[X] = np$